KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
1 of 58

FIG. 1A





FIG. 1B



 KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
2 of 58

FIG. 2A





FIG. 2B



100

KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
3 of 58

FIG. 3A






FIG. 3B




KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
4 of 58




KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
5 of 58

FIG. 5A



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
6 of 58



KANG, et al Q61464 METHOD OF CONTROLLING PORTABLE PERSONAL DEVICE HAVING FACILITIES..... January 12, 2001 202-293-7060 Darryl Mexic

7 of 58

FIG. 7A





FIG. 7B



and the state of t

The state of the s

ij Darryl M 8 of 58


Mary word from that the

i i

į. 4.

i g


FIG. 7C



End See


KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
9 of 58

FIG. 8A



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
10 of 58

FIG. 8B




7, 2

And Mars in

KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
11 of 58


830P BYTE LENGTH OF INFORMATION (2 BYTES) 805 800P 810P 840P 804 804 0×47, 0×04 0×04 0×47 803 803 806 0x4d/0x53 0x4d/0x53 0×46 0x4c STATE 0x04 90×0 0x03 0x04 0x04 0×00 0x00 00×0 0×00 00x0 (e) 0 (P) <u>(၁</u> <u>ව</u>

FIG. 8C



KANG, et al Q61464 METHOD OF CONTROLLING PORTABLE PERSONAL DEVICE HAVING FACILITIES.....

FIG. 9A




į. 3

1 2


KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
14 of 58

FIG. 9B




KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
15 of 58

FIG. 9C




KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
16 of 58

FIG. 9C




KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
17 of 58

FIG. 10A



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
18 of 58

FIG. 10B




Hand Transferride

un;


The state of the state

i i



KANG, et al Q61464 METHOD OF CONTROLLING PORTABLE PERSONAL DEVICE HAVING FACILITIES..... January 12, 2001 Darryl Mexic 202-293-7060 20 of 58

FIG. 11A



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
21 of 58







FIG. 12A



iii iii

13


14

1.4

The Man


KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
23 of 58

FIG. 12B



Frank All

KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
24 of 58



KANG, et al Q61464 METHOD OF CONTROLLING PORTABLE PERSONAL DEVICE HAVING FACILITIES..... January 12, 2001 Darryl Mexic 202-293-7060

25 of 58

FIG. 13A




FIG. 13B





FIG. 13C



KANG, et al O61464 METHOD OF CONTROLLING PORTABLE PERSONAL DEVICE HAVING FACILITIES..... January 12, 2001 Darryl Mexic 27 of 58 202-293-7060

FIG. 14A






FIG. 14B



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
28 of 58

FIG. 14C



į. 4 ill in the

KANG, et al Q61464 METHOD OF CONTROLLING PORTABLE PERSONAL DEVICE HAVING FACILITIES..... January 12, 2001 Darryl Mexic 202-293-7060

29 of 58

FIG. 15A






FIG. 15B





KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
31 of 58

FIG. 16A






FIG. 16B



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
32 of 58

FIG. 16C



METHOD OF CONTROLLING PORTABLE PERSONAL DEVICE HAVING FACILITIES..... January 12, 2001 202-293-7060 Darryl Mexic

33 of 58

FIG. 17A






FIG. 17B



nine green were very special for the first ten from the first first tends to the first first tends for the first first tends to the first tends to


KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
34 of 58

FIG. 17C



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
35 of 58

FIG. 18A



Sum a

1.

Santa menn mann


ğı şîk

KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darry! Mexic 202-293-7060
36 of 58

1820P 1830P PHYSICAL BLOCK ADDRESS (4 BYTES) 1805 PHYSICAL BLOCK ADDRESS (4 BYTES) 1805 1800P -1810P 1840P 1850P 1804 1804 0x52 0×52 0x08 0x08 0x6d/0x73 0x6d/0x73 STATE 0×4c 1803 1803 PHYSICAL BLOCK DATA (528 BYTES) 0×46 0x04 0×04 0×08 0×08 0x03 0000 00x0 00×0 00x0 0×00 # # #](a) # <u></u> (9) (3) (P)


KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
37 of 58

FIG. 19A




KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
38 of 58

FIG. 19B



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
39 of 58

FIG. 20A



Has then the

KANG, et al KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE PERSONAL DEVICE HAVING FACILITIES..... January 12, 2001 Darryl Mexic 202-293-7060

40 of 58

the first that

Wall all


1

4. ^{Ali}

= # #:

i di

FIG. 20B



Harry Harry 13 KANG, et al Q61464 METHOD OF CONTROLLING PORTABLE PERSONAL DEVICE HAVING FACILITIES..... January 12, 2001 202-293-7060 Darryl Mexic

41 of 58

FIG. 21A






FIG. 21B



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
42 of 58



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
43 of 58

FIG. 22A






FIG. 22B




KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
44 of 58

FIG. 22C



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
45 of 58

FIG. 23A




The Sant could then the tent

Sant man min

KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060

Darryl Mexic 46 of 58

FIG. 23B



KANG, et al U01404 METHOD OF CONTROLLING PORTABLE PERSONAL DEVICE HAVING FACILITIES..... January 12, 2001 Darryl Mexic 202-293-7060

47 of 58

FIG. 24A





FIG. 24B



FILE FORM VERSION (2 BYTES)

PM TYPE (2 BYTES)

The Man Hall Į. 4. Hand Hand The state of ğ. ,;i,

METHOD OF CONTROLLING PORTABLE PERSONAL DEVICE HAVING FACILITIES..... January 12, 2001 202-293-7060

Darryl Mexic 48 of 58

FIG. 25A





FIG. 25B



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
49 of 58

FIG. 26A





FIG. 26B



Q61464 KANG, et al METHOD OF CONTROLLING PORTABLE PERSONAL DEVICE HAVING FACILITIES..... January 12, 2001 202-293-7060 Darryl Mexic

50 of 58

FIG. 27A





FIG. 27B



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
51 of 58

FIG. 28A





FIG. 28B



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
52 of 58

FIG. 29A





FIG. 29B



Ē. 45.

KANG, et al Q61404
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
53 of 58

FIG. 30A





FIG. 30B



j, ž

KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
54 of 58

FIG. 31A




FIG. 31B




FIG. 32A

KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001 Darryl Mexic 55 of 58 202-293-7060

-3220P -3200P FILE NAME CONTINUOUS PLAY INDICATIOR (1 BYTE) FILE NAME LENGTH (2 BYTES) 3203 3210 3220 PLAYER (b) STATE INFORMATION 0x4d/0x53 3207 (c) META DATA 3202 -3210P 0×18 FIG. 32B META DATA (1086 BYTES) PLAY LOCATION (4 BYTES) DOCKING STATION 3201 3204 0×0 STATE (a) REQUEST AUDIBLE META DATA 3206 06×0 0x07+ FILE NAME LENGTH COMPUTER (APPLICATION PROGRAM) 0×04 3200 3205 0×00 00×0 # (O) 0 9

in imperior many such

KANG, et al Q01404
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
56 of 58




FIG. 34A





FIG. 34B



Agin grang, gives og gre grang. į. į, a Harry Harry 1 = i st

 KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
58 of 58

FIG. 35A





FIG. 35B



3504

3503